ELSEVIER

European Journal of Pharmacology 328 (1997) 267–268

ejp

Author index

Adachi, K., see Morizane, C. (328) 45
Akaike, A., see Morizane, C. (328) 45
Argiolas, A., see Melis, M.R. (328) 115

Baamonde, A., see Gutiérrez, M. (328) 99
Beitner, R., see Glass-Marmor, L. (328) 241
Borsini, F., see Pitsikas, N. (328) 19
Bowen, S.E., see Wiley, J.L. (328) 125

Chopde, C.T., see Mandhane, S.N. (328) 135
Cumberbatch, M.J., Hill, R.G. and Hargreaves, R.J.
Rizatriptan has central antinociceptive effects against durally evoked responses (328) 37

Dailey, J.W., Reith, M.E.A., Yan, Q.-S., Li, M.-Y. and Jobe, P.C.
Carbamazepine increases extracellular serotonin concentration: lack of antagonism by tetrodotoxin or zero Ca^{2+} (328) 153
D'Amico, M., Rossi, F. and Warner, T.D.
Regulation of blood pressure by L-arginine-nitric oxide pathway within the superior colliculus of rats (328) 65
Dassouli, A., see D'hahan, N. (328) 163
Descroix-Vagne, M., see Volant, K. (328) 217
D'hahan, N., Taouil, K., Dassouli, A. and Jean-Emile Morel,
Long-term therapy with trimetazidine in cardiomyopathic Syrian hamster BIO 14:6 (328) 163

Ferrara, M., see Tirelli, E. (328) 103
Fuchigami, J.-i., see Ikegami, K. (328) 75
Fujioka, T., Tsujita, Y. and Shimotsu, H.
Induction of fatty acid synthesis by pravastatin sodium in rat liver and primary hepatocytes (328) 235
Fujita, Y., see Morizane, C. (328) 45
Furukawa, T. and Morishita, H.
Existence of dopamine D_1 receptor on the sympathetic nerve endings in the guinea-pig vas deferens (328) 229
Furutani, I., see Morizane, C. (328) 45

Ghosh, A.K., see Mandhane, S.N. (328) 135
Glass-Marmor, L. and Beitner, R.
Detachment of glycolytic enzymes from cytoskeleton of melanoma cells induced by calmodulin antagonists (328) 241
Golden, K.M., see Wiley, J.L. (328) 125
González, A.A. and Puig, M.M.
Ondansetron facilitates neuromuscular transmission in the guinea-pig ileum (328) 201
Gori, E., see Sala, M. (328) 143
Grishina, O., see Volant, K. (328) 217
Gutiérrez, M., Menéndez, L., Ruiz-Gayo, M., Hidalgo, A. and Baamonde, A.
Cyproterone acetate displaces opiate binding in mouse brain (328) 99

Hargreaves, R.J., see Cumberbatch, M.J. (328) 37
Hargreaves, R.J., see Williamson, D.J. (328) 61
Hata, H., see Ikegami, K. (328) 75
He, S. and Walls, A.F.
Human mast cell tryptase: a stimulus of microvascular leakage and mast cell activation (328) 89
He, Y. and Tabrizchi, R.
Effects of niflumic acid on α_1-adrenoceptor-induced vasoconstriction in mesenteric artery in vitro and in vivo in two-kidney one-clip hypertensive rats (328) 191
Hidalgo, A., see Gutiérrez, M. (328) 99
Higuchi, H. and Satoh, T.
Endothelin-1 induces vasoconstriction and nitric oxide release via endothelin ET_B receptors in isolated perfused rat liver (328) 175
Hill, R.G., see Cumberbatch, M.J. (328) 37
Hill, R.G., see Williamson, D.J. (328) 61
Holthusen, H., see Kindgen-Milles, D. (328) 41
Honda, Y., see Morizane, C. (328) 45
Huberman, M., see Yehuda, S. (328) 23
Hughes, J., see Panegyres, P.K. (328) 31
Hussain, S.N.A., see Kristof, A.S. (328) 69
Huupponen, R., see Savontaus, E. (328) 207

Iannucci, U., see Melis, M.R. (328) 115
Ikegami, K., Hata, H., Fuchigami, J.-i., Tanaka, K., Kohjimoto, Y., Uchida, S. and Tasaka, K.
Apafant (a PAF receptor antagonist) suppresses the early and late airway responses in guinea pigs: a comparison with antiasthmatic drugs (328) 75

Jarrott, B., see Lawrence, A.J. (328) 83
Jean-Emile Morel, , see D'hahan, N. (328) 163
Jobe, P.C., see Dailey, J.W. (328) 153

Kashii, S., see Morizane, C. (328) 45
Kaszala, K., Végh, Á., Papp, J.Gy. and Parratt, J.R.
Modification by bradykinin B_2 receptor blockade of protection by pacing against ischaemia-induced arrhythmias (328) 51
Kindgen-Milles, D. and Holthusen, H.
Nociception from blood vessels is independent of the sympathetic nervous system under physiological conditions in humans (328) 41
Kohjimoto, Y., see Ikegami, K. (328) 75
Kondo, K., see Shimazawa, M. (328) 183
Koulu, M., see Savontaus, E. (328) 207
Krause, W., Michael, N., Lübke, C., Livett, B.G. and Oehme, P.
Substance P and epibatidine-evoked catecholamine release from fractionated chromaffin cells (328) 249
Kristof, A.S., Noorhosseini, H. and Hussain, S.N.A.
Attenuation of endothelium-dependent hyperpolarizing factor by bacterial lipopolysaccharides (328) 69
Krstew, E., see Lawrence, A.J. (328) 83

Lampugnani, P., see Sala, M. (328) 143
Lawrence, A.J., Krstew, E. and Jarrott, B.
Complex interactions between nitric oxide and adenosine receptors in the rat isolated nodose ganglion (328) 83
Leone, M.P., see Sala, M. (328) 143
Leslie, S.W., see Robichon, R. (328) 255

Lewis, S.J., see Travis, M.D. (328) R1
Li, M.-Y., see Dailey, J.W. (328) 153
Livett, B.G., see Krause, W. (328) 249
Lübke, C., see Krause, W. (328) 249

Mandhane, S.N., Chopde, C.T. and Ghosh, A.K.
Adenosine A_2 receptors modulate haloperidol-induced catalepsy in rats (328) 135
Matturri, L., see Sala, M. (328) 143
Maurice, T. and Privat, A.
SA4503, a novel cognitive enhancer with σ_1 receptor agonist properties, facilitates NMDA receptor-dependent learning in mice (328) 9
Melis, M.R., Succu, S., Iannucci, U. and Argiolas, A.
N-Methyl-D-aspartic acid-induced penile erection and yawning: role of hypothalamic paraventricular nitric oxide (328) 115
Menéndez, L., see Gutiérrez, M. (328) 99
Michael, N., see Krause, W. (328) 249
Morishita, H., see Furukawa, T. (328) 229
Morizane, C., Adachi, K., Furutani, I., Fujita, Y., Akaike, A., Kashii, S. and Honda, Y.
N^{ω}-Nitro-L-arginine methyl ester protects retinal neurons against *N*-methyl-D-aspartate-induced neurotoxicity in vivo (328) 45
Mostofsky, D.I., see Yehuda, S. (328) 23
Myhrer, T. and Paulsen, R.E.
Infusion of D-cycloserine into temporal-hippocampal areas and restoration of mnemonic function in rats with disrupted glutamatergic temporal systems (328) 1

Nakashima, M., see Shimazawa, M. (328) 183
Noorhosseini, H., see Kristof, A.S. (328) 69

Oehme, P., see Krause, W. (328) 249

Panegyres, P.K. and Hughes, J.
Activation of c-*fos* mRNA in the brain by the κ-opioid receptor agonist enadoline and the NMDA receptor antagonist dizocilpine (328) 31
Pansu, D., see Volant, K. (328) 217
Papp, J.Gy., see Kaszala, K. (328) 51
Parratt, J.R., see Kaszala, K. (328) 51
Paulsen, R.E., see Myhrer, T. (328) 1
Pesonen, U., see Savontaus, E. (328) 207
Pitsikas, N. and Borsini, F.
The adenosine A_1 receptor antagonist BIIP 20 counteracts scopolamine-induced behavioral deficits in the passive avoidance task in the rat (328) 19
Privat, A., see Maurice, T. (328) 9
Puig, M.M., see González, A.A. (328) 201

Raasmaja, A., see Savontaus, E. (328) 207
Rabinovitz, S., see Yehuda, S. (328) 23
Randall, P.K., see Robichon, R. (328) 255
Reith, M.E.A., see Dailey, J.W. (328) 153
Robichon, R., Randall, P.K. and Leslie, S.W.
A partial agonist model used in the allosteric modulation of the NMDA receptor (328) 255
Rompré, P.-P.
Repeated activation of neurotensin receptors sensitizes to the stimulant effect of amphetamine (328) 131
Rossi, F., see D'Amico, M. (328) 65
Rouru, J., see Savontaus, E. (328) 207
Ruiz-Gayo, M., see Gutiérrez, M. (328) 99

Sala, M., Leone, M.P., Lampugnani, P., Matturri, L. and Gori, E.
Polydeoxyribonucleotide (defibrotide) protects against post-ischemic behavioral, electroencephalographic and neuronal damage in the gerbil (328) 143
Satoh, T., see Higuchi, H. (328) 175
Savola, J.-M., see Savontaus, E. (328) 207
Savontaus, E., Raasmaja, A., Rouru, J., Koulu, M., Pesonen, U., Virtanen, R., Savola, J.-M. and Huupponen, R.
Anti-obesity effect of MPV-1743 A III, a novel imidazoline derivative, in genetic obesity (328) 207
Shepheard, S.L., see Williamson, D.J. (328) 61
Shimazawa, M., Takiguchi, Y., Umemura, K., Kondo, K. and Nakashima, M.
Antithrombotic effects in a rat model of aspirin-insensitive arterial thrombosis of desethyl KBT-3022, the main active metabolite of a new antiplatelet agent, KBT-3022 (328) 183
Shimotsu, H., see Fujioka, T. (328) 235
Sredni, B., see Yehuda, S. (328) 23
Succu, S., see Melis, M.R. (328) 115

Tabrizchi, R., see He, Y. (328) 191
Takiguchi, Y., see Shimazawa, M. (328) 183
Tanaka, K., see Ikegami, K. (328) 75
Taouil, K., see D'hahan, N. (328) 163
Tasaka, K., see Ikegami, K. (328) 75
Tirelli, E. and Ferrara, M.
Neonatal and preweanling rats are able to express short-term behavioral sensitization to cocaine (328) 103
Travis, M.D., Whalen, E.J. and Lewis, S.J.
Heterologous desensitization of β-adrenoceptor signal transduction in vivo (328) R1
Tsujita, Y., see Fujioka, T. (328) 235

Uchida, S., see Ikegami, K. (328) 75
Umemura, K., see Shimazawa, M. (328) 183

Végh, Á., see Kaszala, K. (328) 51
Virtanen, R., see Savontaus, E. (328) 207
Volant, K., Grishina, O., Descroix-Vagne, M. and Pansu, D.
Guanylin-, heat-stable enterotoxin of *Escherichia coli*- and vasoactive intestinal peptide-induced water and ion secretion in the rat intestine in vivo (328) 217

Walls, A.F., see He, S. (328) 89
Warner, T.D., see D'Amico, M. (328) 65
Whalen, E.J., see Travis, M.D. (328) R1
Wiley, J.L., Golden, K.M. and Bowen, S.E.
Effects of modulation of nitric oxide on acoustic startle responding and prepulse inhibition in rats (328) 125
Williamson, D.J., Shepheard, S.L., Hill, R.G. and Hargreaves, R.J.
The novel anti-migraine agent rizatriptan inhibits neurogenic dural vasodilation and extravasation (328) 61

Yan, Q.-S., see Dailey, J.W. (328) 153
Yehuda, S., Rabinovitz, S., Mostofsky, D.I., Huberman, M. and Sredni, B.
Essential fatty acid preparation improves biochemical and cognitive functions in experimental allergic encephalomyelitis rats (328) 23